

# Rad-/Reifenkombinationen MJ 2009

## Baureihe 5 (E61) - Touring

Stand 10/08

520d/dA (N47D20), 520i/iA (N43B20), 523i/iA (N52B25UL), 523i/iA (N53B25UL)					
Reifendimension	Stahlscheiben-Rad (St.-Rad)	Leichtmetall-Rad (LM-Rad)	IS mm	Styling Nr.	
				St.	LM
<b>Sommer:</b>					
225/55 R 16 95W Std	-	7J x 16 H2	20	-	50,115,134,242
225/50 R 17 94W Std/RSC	-	7½J x 17 EH2	20	-	116,138
		7½J x 17 EH2+	20	-	138,243,244
		8J x 17 EH2	20	-	122,144
		8J x 17 EH2+	20	-	122,245,277,278
245/45 R 17 95W RSC	-	8J x 17 EH2	20	-	122,144
		8J x 17 EH2+	20	-	122,245,277,278
245/40 R 18 93W RSC	-	8J x 18 EH2	20	-	32,71,89,123,124,129,135M,152i
		8J x 18 EH2+	20	-	32,124,135M,152i,246,247
245/35 R 19 93Y XL 1) RSC	-	8½J x 19 EH2	18	-	125,128,172M
		8½J x 19 EH2+	18	-	172M,179,190,228i,269
<b>Winter (M+S):</b>					
225/55 R 16 95H Std	7J x 16 H2	7J x 16 H2	20	12	50,115,134,242
225/50 R 17 94H Std/RSC	-	7½J x 17 EH2	20	-	116,138
		7½J x 17 EH2+	20	-	138,243,244
245/45 R 17 99V XL 2) RSC	-	8J x 17 EH2	20	-	122,144
		8J x 17 EH2+	20	-	122,245,277,278
<b>Reserverad:</b>					
T 135/80 R 17 102M 1)	4.00B x 17 H2	-	18	12	-

# Rad-/Reifenkombinationen MJ 2009

## Baureihe 5 (E61) - Touring

Stand 10/08

525d/dA (M57D30UL)					
Reifendimension	Stahlscheiben-Rad (St.-Rad)	Leichtmetall-Rad (LM-Rad)	IS mm	Styling Nr.	
				St.	LM
<b>Sommer:</b>					
225/55 R 16 95W	Std	-	7J x 16 H2	20	- 50,115,134,242
225/50 R 17 94W	Std/RSC	-	7½J x 17 EH2	20	- 116,138
			7½J x 17 EH2+	20	- 138,243,244
			8J x 17 EH2	20	- 122,144
			8J x 17 EH2+	20	- 122,245,277,278
245/45 R 17 95W	RSC	-	8J x 17 EH2	20	- 122,144
			8J x 17 EH2+	20	- 122,245,277,278
245/40 R 18 93W	RSC	-	8J x 18 EH2	20	- 32,71,89,123,124,129,135M,152i
			8J x 18 EH2+	20	- 32,124,135M,152i,246,247
245/35 R 19 93Y XL 1)	RSC	-	8½J x 19 EH2	18	- 125,128,172M
			8½J x 19 EH2+	18	- 172M,179,190,228i,269
<b>Winter (M+S):</b>					
225/55 R 16 95H	Std	-	7J x 16 H2	20	- 50,115,134,242
225/50 R 17 94H	Std/RSC	-	7½J x 17 EH2	20	- 116,138
			7½J x 17 EH2+	20	- 138,243,244
245/45 R 17 99V XL 2)	RSC	-	8J x 17 EH2	20	- 122,144
			8J x 17 EH2+	20	- 122,245,277,278
<b>Reserverad:</b>					
T 135/80 R 17 102M 1)	4.00B x 17 H2	-		18	12 -

# Rad-/Reifenkombinationen MJ 2009

## Baureihe 5 (E61) - Touring

Stand 10/08

525i/iA (N52B25OL), 525i/iA (N53B30UL)					
Reifendimension	Stahlscheiben-Rad (St.-Rad)	Leichtmetall-Rad (LM-Rad)	IS mm	Styling Nr.	
				St.	LM
<b>Sommer:</b>					
225/55 R 16 95W Std	-	7J x 16 H2	20	-	50,115,134,242
225/50 R 17 94Y Std/RSC	-	7½J x 17 EH2	20	-	116,138
		7½J x 17 EH2+	20	-	138,243,244
		8J x 17 EH2	20	-	122,144
		8J x 17 EH2+	20	-	122,245,277,278
245/45 R 17 95W RSC	-	8J x 17 EH2	20	-	122,144
		8J x 17 EH2+	20	-	122,245,277,278
245/40 R 18 93Y RSC	-	8J x 18 EH2	20	-	32,71,89,123,124,129,135M,152i
		8J x 18 EH2+	20	-	32,124,135M,152i,246,247
245/35 R 19 93Y XL 1) RSC	-	8½J x 19 EH2	18	-	125,128,172M
		8½J x 19 EH2+	18	-	172M,179,190,228i,269
<b>Winter (M+S):</b>					
225/55 R 16 95H Std	-	7J x 16 H2	20	-	50,115,134,242
225/50 R 17 94H Std/RSC	-	7½J x 17 EH2	20	-	116,138
		7½J x 17 EH2+	20	-	138,243,244
245/45 R 17 99V XL 2) RSC	-	8J x 17 EH2	20	-	122,144
		8J x 17 EH2+	20	-	122,245,277,278
<b>Reserverad:</b>					
T 135/80 R 17 102M 1)	4.00B x 17 H2	-	18	12	-

# Rad-/Reifenkombinationen MJ 2009

## Baureihe 5 (E61) - Touring

Stand 10/08

530d/dA (M57D30)					
Reifendimension	Stahlscheiben-Rad (St.-Rad)	Leichtmetall-Rad (LM-Rad)	IS mm	Styling Nr.	
				St.	LM
<b>Sommer:</b>					
225/50 R 17 94Y Std/RSC	-	7½J x 17 EH2	20	-	116,138
		7½J x 17 EH2+	20	-	138,243,244
		8J x 17 EH2	20	-	122,144
		8J x 17 EH2+	20	-	122,245,277,278
245/45 R 17 95W RSC	-	8J x 17 EH2	20	-	122,144
		8J x 17 EH2+	20	-	122,245,277,278
245/40 R 18 93Y RSC	-	8J x 18 EH2	20	-	32,71,89,123,124,129,135M,152i
		8J x 18 EH2+	20	-	32,124,135M,152i,246,247
245/35 R 19 93Y XL 1) RSC	-	8½J x 19 EH2	18	-	125,128,172M
		8½J x 19 EH2+	18	-	172M,179,190,228i,269
<b>Winter (M+S):</b>					
225/55 R 16 95H Std	-	7J x 16 H2	20	-	50,115,134,242
225/50 R 17 94H Std/RSC	-	7½J x 17 EH2	20	-	116,138
		7½J x 17 EH2+	20	-	138,243,244
245/45 R 17 99V XL 2) RSC	-	8J x 17 EH2	20	-	122,144
		8J x 17 EH2+	20	-	122,245,277,278
<b>Reserverad:</b>					
T 135/80 R 17 102M 1)	4.00B x 17 H2	-	18	12	-

# Rad-/Reifenkombinationen MJ 2009

## Baureihe 5 (E61) - Touring

Stand 10/08

530i/iA (N52B30)					
Reifendimension	Stahlscheiben-Rad (St.-Rad)	Leichtmetall-Rad (LM-Rad)	IS mm	Styling Nr.	
				St.	LM
<b>Sommer:</b>					
225/50 R 17 94Y Std/RSC	-	7½J x 17 EH2	20	-	116,138
		7½J x 17 EH2+	20	-	138,243,244
		8J x 17 EH2	20	-	122,144
		8J x 17 EH2+	20	-	122,245,277,278
245/45 R 17 95Y RSC	-	8J x 17 EH2	20	-	122,144
		8J x 17 EH2+	20	-	122,245,277,278
245/40 R 18 93Y RSC	-	8J x 18 EH2	20	-	32,71,89,123,124,129,135M,152i
		8J x 18 EH2+	20	-	32,124,135M,152i,246,247
245/35 R 19 93Y XL 1) RSC	-	8½J x 19 EH2	18	-	125,128,172M
		8½J x 19 EH2+	18	-	172M,179,190,228i,269
<b>Winter (M+S):</b>					
225/55 R 16 95H Std	-	7J x 16 H2	20	-	50,115,134,242
225/50 R 17 94H Std/RSC	-	7½J x 17 EH2	20	-	116,138
		7½J x 17 EH2+	20	-	138,243,244
245/45 R 17 99V XL 2) RSC	-	8J x 17 EH2	20	-	122,144
		8J x 17 EH2+	20	-	122,245,277,278
<b>Reserverad:</b>					
T 135/80 R 17 102M 1)	4.00B x 17 H2	-	18	12	-

# Rad-/Reifenkombinationen MJ 2009

## Baureihe 5 (E61) - Touring

Stand 10/08

<b>530i/iA (N53B300L)</b>					
Reifendimension	Stahlscheiben-Rad (St.-Rad)	Leichtmetall-Rad (LM-Rad)	IS mm	Styling Nr.	
				St.	LM
<b>Sommer:</b>					
225/50 R 17 94Y Std/RSC	-	7½J x 17 EH2	20	-	116,138
		7½J x 17 EH2+	20	-	138,243,244
		8J x 17 EH2	20	-	122,144
		8J x 17 EH2+	20	-	122,245,277,278
245/45 R 17 95Y RSC	-	8J x 17 EH2	20	-	122,144
		8J x 17 EH2+	20	-	122,245,277,278
245/40 R 18 93Y RSC	-	8J x 18 EH2	20	-	32,71,89,123,124,129,135M,152i
		8J x 18 EH2+	20	-	32,124,135M,152i,246,247
245/35 R 19 93Y XL 1) RSC	-	8½J x 19 EH2	18	-	125,128,172M
		8½J x 19 EH2+	18	-	172M,179,190,228i,269
<b>Winter (M+S):</b>					
225/50 R 17 94H Std/RSC	-	7½J x 17 EH2	20	-	116,138
		7½J x 17 EH2+	20	-	138,243,244
245/45 R 17 99V XL 2) RSC	-	8J x 17 EH2	20	-	122,144
		8J x 17 EH2+	20	-	122,245,277,278
<b>Reserverad:</b>					
T 135/80 R 17 102M 1)	4.00B x 17 H2	-	18	12	-

# Rad-/Reifenkombinationen MJ 2009

## Baureihe 5 (E61) - Touring

Stand 10/08

535dA (M57D30TOP)					
Reifendimension	Stahlscheiben-Rad (St.-Rad)	Leichtmetall-Rad (LM-Rad)	IS mm	Styling Nr.	
				St.	LM
<b>Sommer:</b>					
225/50 R 17 94Y Std/RSC	-	7½J x 17 EH2	20	-	116,138
		7½J x 17 EH2+	20	-	138,243,244
		8J x 17 EH2	20	-	122,144
		8J x 17 EH2+	20	-	122,245,277,278
245/45 R 17 95Y RSC	-	8J x 17 EH2	20	-	122,144
		8J x 17 EH2+	20	-	122,245,277,278
245/40 R 18 93Y RSC	-	8J x 18 EH2	20	-	32,71,89,123,124,129,135M,152i
		8J x 18 EH2+	20	-	32,124,135M,152i,246,247
245/35 R 19 93Y XL 1) RSC	-	8½J x 19 EH2	18	-	125,128,172M
		8½J x 19 EH2+	18	-	172M,179,190,228i,269
<b>Winter (M+S):</b>					
225/50 R 17 94H Std/RSC	-	7½J x 17 EH2	20	-	116,138
		7½J x 17 EH2+	20	-	138,243,244
245/45 R 17 99V XL 2) RSC	-	8J x 17 EH2	20	-	122,144
		8J x 17 EH2+	20	-	122,245,277,278
<b>Reserverad:</b>					
T 135/80 R 17 102M 1)	4.00B x 17 H2	-	18	12	-

# Rad-/Reifenkombinationen MJ 2009

## Baureihe 5 (E61) - Touring

Stand 10/08

550i/iA (N62B48)					
Reifendimension	Stahlscheiben-Rad (St.-Rad)	Leichtmetall-Rad (LM-Rad)	IS mm	Styling Nr.	
				St.	LM
<b>Sommer:</b>					
225/50 R 17 94Y Std/RSC	-	7½J x 17 EH2	20	-	116,138
		7½J x 17 EH2+	20	-	138,243,244
		8J x 17 EH2	20	-	122,144
		8J x 17 EH2+	20	-	122,245,277,278
245/45 R 17 95Y RSC	-	8J x 17 EH2	20	-	122,144
		8J x 17 EH2+	20	-	122,245,277,278
245/40 R 18 93Y RSC	-	8J x 18 EH2	20	-	32,71,89,123,124,129,135M,152i
		8J x 18 EH2+	20	-	32,124,135M,152i,246,247
245/35 R 19 93Y XL 1) RSC	-	8½J x 19 EH2	18	-	125,128,172M
		8½J x 19 EH2+	18	-	172M,179,190,228i,269
<b>Winter (M+S):</b>					
225/50 R 17 94H Std/RSC	-	7½J x 17 EH2	20	-	116,138
		7½J x 17 EH2+	20	-	138,243,244
245/45 R 17 99V XL 2) RSC	-	8J x 17 EH2	20	-	122,144
		8J x 17 EH2+	20	-	122,245,277,278
<b>Reserverad:</b>					
T 135/80 R 17 102M 1)	4.00B x 17 H2	-	18	12	-